

Printing date 23.03.2022 Version number 305 (replaces version 304)

Revision: 23.03.2022

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- · 1.1 Product identifier 600004
- · Trade name: Quick epoxy adhesive E-COLL Part A
- · Article number: 4317784245623, 4317784464994
- · UFI: AWFJ-D9QQ-090X-X28V
- · 1.2 Relevant identified uses of the substance or mixture and uses advised against

#### · Sector of Use

SU21 Consumer uses: Private households / general public / consumersSU22 Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

· Application of the substance / the mixture Epoxy resin adhesive

#### · 1.3 Details of the supplier of the safety data sheet

 Manufacturer/Supplier: E/D/E - Einkaufsbuero Deutscher Eisenhaendler GmbH EDE Platz 1 D-42389 Wuppertal Germany

Tel. +49 202 6096-0 e-mail: sdb@ede.de

- · Further information obtainable from: Product safety department
- 1.4 Emergency telephone number: Giftinformationszentrum Mainz Tel.: +49 (6131) 19240

#### **SECTION 2: Hazards identification**

· 2.1 Classification of the substance or mixture

#### · Classification according to Regulation (EC) No 1272/2008

Skin Irrit. 2H315 Causes skin irritation.Eye Irrit. 2H319 Causes serious eye irritation.Skin Sens. 1H317 May cause an allergic skin reaction.Aquatic Chronic 2H411 Toxic to aquatic life with long lasting effects.

#### · 2.2 Label elements

## · Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

#### · Hazard pictograms



· Signal word Warning

# **E-COLL**

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 23.03.2022

Version number 305 (replaces version 304)

Revision: 23.03.2022

#### Trade name: Quick epoxy adhesive E-COLL Part A

(Contd. of page 1)

#### · Hazard-determining components of labelling:

reaction product: bisphenol-A-(epichlorhydrin) epoxy resin (number average molecular weight  $\leq$  700)

#### · Hazard statements

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H317 May cause an allergic skin reaction.

H411 Toxic to aquatic life with long lasting effects.

#### · Precautionary statements

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P280 Wear protective gloves / eye protection.

P333+P313 If skin irritation or rash occurs: Get medical advice/attention.

P337+P313 If eye irritation persists: Get medical advice/attention.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

#### · Additional information:

EUH205 Contains epoxy constituents. May produce an allergic reaction.

#### · 2.3 Other hazards

#### · Results of PBT and vPvB assessment

· PBT: Not applicable.

· vPvB: Not applicable.

#### **SECTION 3: Composition/information on ingredients**

#### · 3.2 Mixtures

· Description: Mixture of substances listed below with nonhazardous additions.

#### · Dangerous components:

· Dangerous components.		
CAS: 25068-38-6	reaction product: bisphenol-A-(epichlorhydrin) epoxy resin	50-100%
NLP: 500-033-5	(number average molecular weight $\leq$ 700)	
Index number: 603-074-00-8	Aquatic Chronic 2, H411	
	🚯 Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317	
	EUH205	
	Specific concentration limits: Eye Irrit. 2; H319: $C \ge 5 \%$	
	Skin Irrit. 2; H315: C ≥ 5 %	

· Additional information: For the wording of the listed hazard phrases refer to section 16.

#### **SECTION 4: First aid measures**

· 4.1 Description of first aid measures

- General information: Immediately remove any clothing soiled by the product.
- · After inhalation: Supply fresh air.



Printing date 23.03.2022

Version number 305 (replaces version 304)

Revision: 23.03.2022

#### Trade name: Quick epoxy adhesive E-COLL Part A

(Contd. of page 2)

· After skin contact: Immediately wash with water and soap and rinse thoroughly. If skin irritation continues, consult a doctor,

- · After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- · After swallowing: Drink plenty of water and provide fresh air. Call for a doctor immediately.
- · 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- 4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available.

#### SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- Suitable extinguishing agents: CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- · For safety reasons unsuitable extinguishing agents: Water with full jet
- 5.2 Special hazards arising from the substance or mixture No further relevant information available.
- · 5.3 Advice for firefighters

#### · Protective equipment:

Do not inhale explosion gases or combustion gases. Wear self-contained respiratory protective device.

#### Additional information

Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

#### **SECTION 6: Accidental release measures**

# · 6.1 Personal precautions, protective equipment and emergency procedures Not required.

Wear protective clothing.

· 6.2 Environmental precautions:

Inform respective authorities in case of seepage into water course or sewage system. Do not allow product to reach sewage system or any water course. Do not allow to enter sewers/ surface or ground water.

· 6.3 Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

#### 6.4 Reference to other sections

See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment.



Printing date 23.03.2022

Version number 305 (replaces version 304)

Revision: 23.03.2022

(Contd. of page 3)

#### Trade name: Quick epoxy adhesive E-COLL Part A

See Section 13 for disposal information.

#### **SECTION 7: Handling and storage**

• 7.1 Precautions for safe handling Ensure good ventilation/exhaustion at the workplace.

#### · Information about fire - and explosion protection:



Keep ignition sources away - Do not smoke.

- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: Provide floor trough without outlet.
- Information about storage in one common storage facility: Store away from oxidising agents. Do not store together with acids. Store away from foodstuffs.
- Further information about storage conditions: Keep container tightly sealed.
- · Storage class: -
- 7.3 Specific end use(s) No further relevant information available.

#### **SECTION 8: Exposure controls/personal protection**

- · 8.1 Control parameters
- Ingredients with limit values that require monitoring at the workplace: The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.
- · Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- · Appropriate engineering controls No further data; see item 7.
- · Individual protection measures, such as personal protective equipment
- General protective and hygienic measures: Immediately remove all soiled and contaminated clothing Wash hands before breaks and at the end of work. Avoid contact with the skin. Avoid contact with the eves.
- · Respiratory protection: Not necessary if room is well-ventilated.




Printing date 23.03.2022

Version number 305 (replaces version 304)

Revision: 23.03.2022

Trade name: Quick epoxy adhesive E-COLL Part A

(Contd. of page 4)





Protective gloves

### Material of gloves

Butyl rubber, BR Recommended thickness of the material:  $\geq 0.4$  mm

#### · Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

#### **SECTION 9: Physical and chemical properties**

9.1 Information on basic physical and chemical properties General Information		
· Colour:	Colourless	
· Odour:	Mild	
· Odour threshold:	Not determined.	
• Melting point/freezing point:	Undetermined.	
$\cdot$ Boiling point or initial boiling point and boiling		
range	Undetermined.	
· Flammability	Not applicable.	
<ul> <li>Lower and upper explosion limit</li> </ul>		
· Lower:	Not determined.	
· Upper:	Not determined.	
· Flash point:	>250 °C	
<ul> <li>Decomposition temperature:</li> </ul>	>300 °C	
· pH	Not determined.	
· Viscosity:		
· Kinematic viscosity	Not determined.	
· Kinematic: 23 °C - 4 mm (ISO 2431)		
· Dynamic at 20 °C:	8 mPas	
· Solubility		
· water:	Not miscible or difficult to mix.	
· Partition coefficient n-octanol/water (log value)	Not determined.	
· Vapour pressure:	Not determined.	
· Density and/or relative density		
· Density at 20 °C:	1.17 g/cm <sup>3</sup>	
· Relative density	Not determined.	
· Vapour density	Not determined.	
rapour achory		
9.2 Other information		
· Appearance:		
· Form:	Viscous	
· Important information on protection of health	130003	
and environment, and on safety.		
· Auto-ignition temperature:	Product is not selfigniting.	
• •		
· Explosive properties:	Product does not present an explosion hazard. (Contd. on	
	(Conta. on	



Printing date 23.03.2022

Version number 305 (replaces version 304)

Revision: 23.03.2022

(Contd. of page 5)

#### Trade name: Quick epoxy adhesive E-COLL Part A

<ul> <li>Change in condition</li> <li>Softening point/range</li> <li>Oxidising properties</li> <li>Evaporation rate</li> </ul>	Not determined. Not determined.	
<ul> <li>Information with regard to physical hazard</li> </ul>		
classes		
· Explosives	Void	
<ul> <li>Flammable gases</li> </ul>	Void	
· Aerosols	Void	
<ul> <li>Oxidising gases</li> </ul>	Void	
<ul> <li>Gases under pressure</li> </ul>	Void	
<ul> <li>Flammable liquids</li> </ul>	Void	
<ul> <li>Flammable solids</li> </ul>	Void	
<ul> <li>Self-reactive substances and mixtures</li> </ul>	Void	
<ul> <li>Pyrophoric liquids</li> </ul>	Void	
<ul> <li>Pyrophoric solids</li> </ul>	Void	
<ul> <li>Self-heating substances and mixtures</li> </ul>	Void	
<ul> <li>Substances and mixtures, which emit flammable</li> </ul>		
gases in contact with water	Void	
<ul> <li>Oxidising liquids</li> </ul>	Void	
<ul> <li>Oxidising solids</li> </ul>	Void	
<ul> <li>Organic peroxides</li> </ul>	Void	
<ul> <li>Corrosive to metals</li> </ul>	Void	
· Desensitised explosives	Void	

#### **SECTION 10: Stability and reactivity**

- 10.1 Reactivity No further relevant information available.
- · 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

- · 10.3 Possibility of hazardous reactions Reacts with alcohols, amines, aqueous acids and alkalis.
- · 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products: No dangerous decomposition products known.

#### **SECTION 11: Toxicological information**

- · 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
- Acute toxicity Based on available data, the classification criteria are not met.

(Contd. on page 7)



Printing date 23.03.2022

Version number 305 (replaces version 304)

Revision: 23.03.2022

Trade name: Quick epoxy adhesive E-COLL Part A

(Contd. of page 6)

LD/LC50 values relevant for classification:
 CAS: 25068-38-6 reaction product: bisphenol-A-(epichlorhydrin) epoxy resin (number average molecular weight ≤ 700)

Oral LD50 11,400 mg/kg (rat) Dermal LD50 22,800 mg/kg (rabbit) (GESTIS)

· Skin corrosion/irritation

Causes skin irritation.

- Serious eye damage/irritation Causes serious eye irritation.
- · Respiratory or skin sensitisation

May cause an allergic skin reaction.

- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- STOT-single exposure Based on available data, the classification criteria are not met.
- STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.
- · 11.2 Information on other hazards
- · Endocrine disrupting properties

None of the ingredients is listed.

#### **SECTION 12: Ecological information**

· 12.1 Toxicity

· Aquatic toxicity:

CAS: 25068-38-6 reaction product: bisphenol-A-(epichlorhydrin) epoxy resin (number average molecular weight ≤ 700)

EC50 (48h) 2.8 mg/L (daphnia) 96h LC50 3.6 mg/l (Leuciscus idus auratus)

• 12.2 Persistence and degradability No further relevant information available.

- **12.3 Bioaccumulative potential** No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- · 12.5 Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.



Printing date 23.03.2022

Version number 305 (replaces version 304)

Revision: 23.03.2022

#### Trade name: Quick epoxy adhesive E-COLL Part A

(Contd. of page 7) • 12.6 Endocrine disrupting properties For information on endocrine disrupting properties see section 11.

- · 12.7 Other adverse effects
- · Remark: Toxic for fish
- · Additional ecological information:
- · General notes:

Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water Do not allow product to reach ground water, water course or sewage system. Also poisonous for fish and plankton in water bodies.

#### **SECTION 13: Disposal considerations**

#### · 13.1 Waste treatment methods:

Containers can be recycled if completely empty; if not, dispose product/containers as dangerous waste. Observe local regulations.

#### · European waste catalogue

08 04 09\* waste adhesives and sealants containing organic solvents or other hazardous substances

### **SECTION 14: Transport information**

· 14.1 UN number or ID number · ADR, IMDG, IATA	UN3082
· 14.2 UN proper shipping name · ADR	UN3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (reaction product: bisphenol-A-(epichlorhydrin) epoxy resin (number average molecular weight $\leq$ 700), Bisphenol-F-Epichlorhydrinharze)
· IMDG	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (reaction product: bisphenol-A- (epichlorhydrin) epoxy resin (number average molecular weight $\leq$ 700), Bisphenol-F- Epichlorhydrinharze), MARINE POLLUTANT
ΙΑΤΑ	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (reaction product: bisphenol-A- (epichlorhydrin) epoxy resin (number average molecular weight ≤ 700), Bisphenol-F- Epichlorhydrinharze)
· 14.3 Transport hazard class(es)	
· ADR, IMDG, IATA	



· Class

9 Miscellaneous dangerous substances and articles. (Contd. on page 9)



Printing date 23.03.2022

Version number 305 (replaces version 304)

Revision: 23.03.2022

Trade name: Quick epoxy a	adhesive E-COLL Part A
---------------------------	------------------------

· Label	(Contd. of page 8) 9
· 14.4 Packing group · ADR, IMDG, IATA	III
· 14.5 Environmental hazards:	Product contains environmentally hazardous substances: reaction product: bisphenol-A- (epichlorhydrin) epoxy resin (number average molecular weight $\leq$ 700)
· Marine pollutant:	Yes Symbol (fish and tree)
· Special marking (ADR):	Symbol (fish and tree)
· Special marking (IATA):	Symbol (fish and tree)
<ul> <li>14.6 Special precautions for user</li> </ul>	Warning: Miscellaneous dangerous substances and articles.
Hazard identification number (Kemler code):	90
· EMS Number:	F-A,S-F
<ul> <li>14.7 Maritime transport in bulk according to IM instruments</li> </ul>	O Not applicable.
· Transport/Additional information:	
<ul> <li>ADR</li> <li>Limited quantities (LQ)</li> <li>Transport category</li> <li>Tunnel restriction code</li> <li>UN "Model Regulation":</li> </ul>	5L 3 E UN3082, ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (reaction product: bisphenol-A-(epichlorhydrin) epoxy resin (number average molecular weight $\leq$ 700), Bisphenol-F- Epichlorhydrinharze), 9, III

# **SECTION 15: Regulatory information**

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

- · Directive 2012/18/EU
- · Qualifying quantity (tonnes) for the application of lower-tier requirements 200 t
- $\cdot$  Qualifying quantity (tonnes) for the application of upper-tier requirements  $500\ t$
- · REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3

#### **SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

#### · Relevant phrases

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

(Contd. on page 10)

Printing date 23.03.2022

Version number 305 (replaces version 304)

Revision: 23.03.2022

#### Trade name: Quick epoxy adhesive E-COLL Part A

H319 Causes serious eye irritation. H411 Toxic to aquatic life with long lasting effects. EUH205 Contains epoxy constituents. May produce an allergic reaction. · Department issuing SDS: Product safety department · Contact: sdb@ede.de Date of previous version: 21.01.2022 · Version number of previous version: 304 · Abbreviations and acronyms: ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Skin Irrit. 2: Skin corrosion/irritation - Category 2 Eye Irrit. 2: Serious eye damage/eye irritation - Category 2 Skin Sens. 1: Skin sensitisation - Category 1 Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard - Category 2

#### • \* Data compared to the previous version altered.

(Contd. of page 9)

EU -